适用专业	三年制高职软件技术专业	课程代码	0102073
开设时间	第 6 学期	学　分	6 学分

: k ۺ k й 0 й Ҳ ˩

k Ʒ k Ҳ Ƶ

Ї φ ˫ ŭ 0 ¡ Ʒ k ˥ Ƶ

Ї ŭ / ғ ” ˥

Ї k ș Ї Ƶ

ғ˫ ŭ Ή ˩

k Ή й Ă Ϙ Ƶ

, Ї ۺ ŭ

˥ Ї Ʒ k Ї ŭ Ƶ ˥ ˩

1.

Ω Ж

ғ 0 Ж

Web ╦ UI Ж

Java I ĩ Ж

0 Ж

Ң ғ Ж

Ң ĩ !! 0 !! ɾ

2. ⌐

Ί й й 0 ” ⌐ Ж

Ί ⌐ 0 ⌐ Ж

: 0 Ж

Ί ⌐ Ж

Ί ⅂ ғ ⌐ Ї HTML5 Java

Ж

Ί ғ ⌐ Ж

Ί ⌐ Ж

Ί Web ⌐ Ж

Ί ⌐ Ж

Ί ⌐ Ж

Ί ڎ Ϙ ⌐ Ж

Ί ف ̨ ķ ғ

⌐ Ї √ Ί ķ ⌐

3.

ююю Ҳ ӣ ́ Ά ο D I ж ┼ Ї чш й

Ҳ D I ж Ґ Ї D I ж

ẅ Ї Ί Л ο Ҳ ѵ Ж

Ω ֊ ˉ

Ъ ¸ Ї !! ∑ ο ҿ Ї Ί D ο

D ў ғ Ж

Ί Ή ŭ ϒ

⁄ Ή Ж

ϗ л æ Ω ҏ Ї Ί ˉ ķ

↔ Ї φ ο Ƶ ғ Ж

Ί ă φ ο ă Ή ˛ Ї ,

ο ɷ ¸ Ї ŭ ă ғ Ո й Ї

ҿ й Ж

Ί ο˛ ŭ Ї ɷ

Ґ

Ү ҷ ш

Ї ⁞ ʒ ķ ο ɾ

ο ∑ Ї Ƶ

ˉ Ї Ɠ ŭ ⁄ ο ˉ Ї

ɬ ف !! ɾ

ƙ ƙ

Ɣ ɾ ƙ φ

ɼ ɾ ƙ I ɷ E ƙ

“ ۶ 50% Ï I 1

“ ƙ ”Ж ε ƙ

“ ۶ 50% Ï I 2 “ ƙ

!! ” ɾ

		_

表 8 毕业设计答辩评分标准

2017 1


Apache Tomcat/7.0.67
localhost:8080
Home
Documentation
Configuration
Examples
Wiki
Mailing Lists
Find Help
Apache Software Foundation
If you're seeing this, you've successfully installed Tomcat. Congratulations!
Recommended Reading:
Security Considerations HOW-TO
Manager Application HOW-TO
Server Status
Manager App
Host Manager
Developer Quick Start
First Web Application
JDBC DataSources
Managing Tomcat
For security, access to the manager webapp is restricted. Users are defined in:
$CATALINA_HOME/conf/tomcat-users.xml
In Tomcat 7.0 access to the manager application is split between different users.
Read more...
Documentation
Tomcat 7.0 Documentation
Tomcat 7.0 Configuration
Tomcat Wiki
Find additional important configuration information in:
FAQ and
The following
tomcat-users

1-1 tomcat

XXXXXXXXXXXXXX

1

2

3



2-1 XXXX



2-2 1



2-3 1

2-2 BBBB



3-1 XXXX



3-2 XXXX

3-3



3-3 XXXX 1

3-1 XXXX 1

3-4 YYYYY 2

3-2 YYYYY 2

1

,

2

3NF

3NF

E-R E-R

XXX E-R

3-4



3-5 XXXX E-R

ER XXXX

E-R

3-3 CCCCC

1 XXXX



4-1 XXXX

XXXXX

4-2



4-2 XXX

4-1

4-1 XXXX

UML 4-3 XXXX

XXXXX 4-4

4-2

UML 4-5 XXXX

XXXXX 4-6

4-3

5-1

, E-MAIL

5-1

```
        UserInfoAdo uia=UserInfoAdo.initializeUIA();
        PrintWriter out = response.getWriter();
        String strName = CommonUtil.NullToString(request
                .getParameter("userName")).trim();
        String strPwd = CommonUtil
                .NullToString(request.getParameter("userPwd")).trim();
        String strCode = CommonUtil.NullToString(request.getParameter("code")).trim();

        HttpSession session = request.getSession();
        String rand = (String) session.getAttribute("rand");
```

```
        //
          if (!strCode.equalsIgnoreCase(rand)) {
//      if (false) {
            errorMessage(out, "                                    ");
            return;
        }
        UserInfoBean userBean = uia.getUserBean(strName);

        //
```

```
        if (userBean == null) {
            errorMessage(out, "                                          ");
            return;
        }
```

```
        //                                          3
        int count = 0;
        if (!userBean.getPassword().equals(strPwd)) {

            if (session.getAttribute("count") == null) {
                session.setAttribute("count", new Integer(count));
            }
            count = Integer.parseInt(session.getAttribute("count").toString());
            count = count + 1;
            session.setAttribute("count", new Integer(count));
```

```
        //
        if (getUserIsOnLine(strName)) {
            errorMessage(out, "                                    ");
            return;
        }
        //
        if(request.getParameter("flag").equals("0")){ //
            if(userBean.getUserFlag()==1){ //
                out.println("<script>alert('
');window.history.back();</script>");
                return;
            }
            if(userBean.getLocked()==1){
                out.println("<script>alert('                                    ,
');window.history.back();</script>");
                return;
            }
        }
```

XXXXXXXX

6-1　6-2

6-1　XXXXXXXX

6-2　XXXXXXXX